

L. Oxtoby et al. \_\_\_\_\_. Feeding ecologies of key bivalve and polychaete species in the Bering Sea as elucidated by fatty acid and compound specific stable isotope analyses

- S. Brennan\*, D. Fernandez, C. Zimmerman, T. Cerling, R. Brown, \_\_\_\_\_ (2014). Strontium isotopes in otoliths of a non-migratory fish (slimy sculpin): Implications for provenance studies. GCA. On-line first.
- B. Gaglioti\*, et al., \_\_\_\_\_ (2014). Radiocarbon age-offsets in an arctic lake describe responses of permafrost carbon to climate changes. On-line first.
- S. Brennan\*, et al., \_\_\_\_\_ (2014).  $^{87}\text{Sr}/^{86}\text{Sr}$  variation and carbonate versus silicate weathering in rivers from across Alaska: implications for provenance studies. Chemical Geology. On-line first.

- J. Weems\*, K. Iken, R. Gradinger, \_\_\_\_\_ (2012) Carbon and nitrogen assimilation in the Bering Sea clams *Nuculana radiata* and *Macoma moesta*. *Journal of Experimental Marine Biology and Ecology*. DOI: 10.1016/j.jembe.2012.06.015
- R. Federer\*, T. Hollmen, D. Esler, \_\_\_\_\_. (2012). Stable carbon and nitrogen isotope discrimination factors for quantifying Spectacled Eider nutrient allocation to egg production. *Condor*.
- \_\_\_\_\_, G. Zazula, M. Blinnikov, B. Gaglioti\*, et al., (2012). The detailed paleoecology of a mid-Wisconsinan interstadial (~31,000 14C years) paleo-turf from interior Alaska. *Journal of Quaternary Science*. 26: 746-756.
- M. Blinnikov, B. Gaglioti\*, S. Walker, \_\_\_\_\_, G. Zazula. (2011). Pleistocene graminoid-dominated ecosystems in the Arctic. *Quaternary Science Reviews*. 30: 21-22.
- N. Monacci\*, Behling H., B. Finney, U. Meirs-Groenhagen, \_\_\_\_\_. (2011). Paleoecology of mangroves along the Sibun River, Belize. *Quaternary Research*: 76: 220-228.
- B. Gaglioti\*, B. Barnes, G. Zazula, A. Beadoin, \_\_\_\_\_ (2011). Late Pleistocene paleoecology of arctic ground squirrel (*Urocitellus parryii*) caches and nests from Interior Alaska's mammoth steppe ecosystem, USA. *Quaternary Research*. 76: 373-382.
- S. Budge, S. Wang\*, T. Hollmén, and \_\_\_\_\_. (2011). Carbon isotopic fractionation in eider adipose tissue varies with fatty acid structure: Implications for trophic studies. *Journal of Experimental Biology*. 214: 3790-3800.
- B. Gaglioti\*, K. Severin, \_\_\_\_\_. (2010). Developing graminoid cuticle analysis for application to Beringian paleoecology. *Review of Palaeobotany and Palynology*. 162: 95-110.
- R. Federer\*, T. Hollmén, D. Esler, \_\_\_\_\_, and S.W. Wang\*. (2010) Stable Carbon and Nitrogen Isotope Discrimination Factors from Diet to Blood Plasma, Cellular Blood, Feathers, and Adipose Tissue Fatty Acids in Spectacled Eiders (\_\_\_\_\_), *Canadian Journal of Zoology*. 88: 866-874.

- G. Zazula and \_\_\_\_\_ (2008). Comment on "Environmental setting (micro) morphologies and stable C-O isotope composition of cold climate carbonate - a review and evaluation of their potential as paleoclimatic proxies" by Denis Lacelle. Quaternary Science Reviews 26: 1670-1689. Quaternary Science Reviews. 27: 1655-1660.
- M. Fogel, \_\_\_\_\_ et al., (2008). Unusually negative nitrogen isotopic compositions of mangroves and lichens in an oligotrophic, microbially-influenced ecosystem. Biogeosciences. 5: 1693-1704.
- F.A. Street-Perrott, P. Barker, M. Leng, H. Sloane, \_\_\_\_\_, K. Ficken, D. Swain. (2008). Towards an understanding of late Quaternary variations in the continental biogeochemical cycle of silicon: multi-isotope and sediment-flux data for Lake Rutundu, Mt Kenya, East Africa, since 38 ka BP. Journal of Quaternary Science: 23(4): 375-387.
- S. M. Budge, \_\_\_\_\_ A.M. Springer, S. J. Iverson, C. McRoy, and G.J. Divoky (2008). Tracing carbon flow in an arctic marine food web using fatty acid-stable isotope analysis 157 (1): 117-129.
- T.W. Bentzen\*, E. Follmann, S.C. Amstrup, G.S. York, \_\_\_\_\_, D.C.G. Muir, and T.M. O'Hara. (2008). Dietary biomagnification of organochlorine contaminants in Alaskan polar bears. 86: 177-191.
- L. Bremond, A. Alexandre, \_\_\_\_\_, et al. (2008). Phytolith indices as proxies of grass subfamilies on East African tropical mountains. Global and Planetary Change 61: 209-224.
- Y. Wang\*, D. O'Brien, D. Francis and \_\_\_\_\_ (2008). A protocol for preparing subfossil Chironomid head capsules (Diptera: Chironomidae) for stable isotope analysis in paleoclimate reconstruction and considerations of contamination sources. Journal of Paleolimnology 40: 771-781.
- C.T. Mumbi, R. Marchant, H. Hooghiemstra, \_\_\_\_\_. (2007). Late quaternary reconstruction from the Eastern Arc Mountains, Tanzania. Quaternary Research 69: 326-341.
- \_\_\_\_\_, R. Boone et al. (2007). A survey of the stable isotope (C and N) composition of eastern Beringian grasses and sedges: investing their potential as indicators of past environmental conditions. Arctic, Antarctic and Alpine Research 39: 318-331.
- \_\_\_\_\_, Y. Axford\* and Y. Wang\*. (2007). A multiple stable isotope record of Late Quaternary limnological changes and chironomid paleoecology from northeastern Iceland. Journal of Paleolimnology. 40 (1): 63-77.
- \_\_\_\_\_, R. Morgan\*, S. Fowell H. Behling and M. Fogel. (2007). A multi-proxy peat record of Holocene mangrove paleoecology from Twin Cays, Belize. The Holocene 17: 1129-1139.
- D. O'Brien and \_\_\_\_\_ (2007). Tracking human travel using stable oxygen and hydrogen isotope analyses of hair and urine. Rapid Communications in Mass Spectrometry 21: 2422-2430.
- M. Knoche\*, A. Powell, \_\_\_\_\_, L. Quakenbush and L.M. Phillips. (2007). Further evidence of fidelity to molt site locations by King Eiders: Combining stable isotope analyses and satellite telemetry. Waterbirds 30 (1): 52-57.
- F.A. Street-Perrott, P. Barker, K. Ficken, \_\_\_\_\_, et al. (2007). Late Quaternary changes in ecosystems and carbon cycling on Mt. Kenya, East Africa: a landscape-ecological perspective based on multi-proxy lake-sediment fluxes. Quaternary Science Reviews. 26: 1838-1860.
- T.W. Bentzen\*, E.H. Follmann S.C. Amstrup G.W. York, \_\_\_\_\_ and T.M. O'Hara. (2007). Variation in winter feeding ecology of southern Beaufort Sea polar bears inferred from stable isotope analysis. Canadian Journal of Zoology. 85: 596-608.
- R. Greenberg P. Mara and \_\_\_\_\_ (2007). Stable isotope (C,N,H) analyses locate the unknown winter range of the Coastal Plain Swamp Sparrow (MELOSPIZA GEORGIANA NIGRESCENS). Auk. 124: 1137-1148 (cover story).
- Y. Wang\* and \_\_\_\_\_ (2006). The stable isotopic (C and N) composition of modern plants from northern Iceland: with paleoenvironmental implications. JoKull. 56: 27-37.

- J. Briner, N. Michelutti, D. Francis, G. Miller, Y. Axford, \_\_\_\_\_ A. Wolfe. (2006). A multi-proxy lacustrine record of Holocene environmental change on northeastern Baffin Island, Arctic Canada. *Quaternary Research*. 65: 431-442.
- M.K. Schweizer\*, J. Toporski, M.L. Fogel, A. Steele. (2006). Examination of an Oligocene lacustrine ecosystem using C and N stable isotopes. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 230: 335 – 351.
- \_\_\_\_\_, M. Fogel, et al., (2005). Stable isotope characteristics across a sharp ecotone in Wolfe Creek Meteorite Crater, Western Australia: palaeoecological implications. *Oecologia*. 145: 100-112.
- \_\_\_\_\_, M. Fogel, et al., (2004). Mangrove ecosystem dynamics and elemental cycling at Twin Cays, Belize, during the Holocene. *Journal of Quaternary Science*. 19 (7): 703-711.
- \_\_\_\_\_, D. Francis, M. L. Fogel, G. Miller, I. Walker, A.P. Wolfe. (2004). Quantitative paleotemperature estimates from  $^{18}\text{O}$  in chironomid head capsules from arctic lake sediment. *Journal of Paleolimnology*. 31: 267-274.
- B. Smallwood, \_\_\_\_\_, M. Jacobson, M. Fogel. (2003). Compound specific stable isotope analyses of leaves. *Geochemical Transactions*. 7: 14 – 27.
- \_\_\_\_\_, D.L. Swain, K. Ficken, A.D.Q. Agnew and F.A. Street Perrott, (2003). Late Quaternary environmental change on Mount Kenya: multi-proxy evidence from Lake Rutundu. *Journal of Quaternary Science* 18(1) 3-15.
- \_\_\_\_\_, B. Smallwood, U. Scharler, M. Jacobson and M. Fogel, (2003). Towards a multi-proxy approach to mangrove palaeoecology: A taphonomic study of  $^{13}\text{C}$  and  $^{15}\text{N}$  values in *R. mangle* leaves. *Organic Geochemistry*. 34: 1259-1275.
- \_\_\_\_\_, B. Smallwood, M. Jacobson and M. Fogel, (2003). Carbon and nitrogen stable isotopic variation in *Laguncularia racemosa* from Florida and Belize: Implications for trophic level studies. *Hydrobiologia*. 499: 13-23.
- K.J. Ficken, \_\_\_\_\_, D.L. Swain, F.A. Street-Perrott, and G. Eglinton. (2002). Reconstruction of a sub-alpine grass dominated ecosystem, Lake Rutundu, Mount Kenya: A novel multi-proxy approach. *Palaeogeography, Palaeoclimatology, Palaeoecology* (special issue). 177: 137-149.
- \_\_\_\_\_, and K. Beuning (guest editors). (2002). Introduction to the reconstruction and modelling of grass dominated environments. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 2708: 1-3.
- \_\_\_\_\_, (2002). A method for the analysis of grass cuticles from lacustrine sediment cores. *The Holocene*, 12, 1: 107-115.
- \_\_\_\_\_, and A.D.Q. Agnew (2002). Changes in graminoid stomatal morphology over the last glacial-interglacial transition: evidence from Mount Kenya, East Africa. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 2716: 1-14.
- A.D.Q. Agnew and \_\_\_\_\_. (2001). New and interesting records of grasses and sedges in Kenya. *Journal of East African Natural History*. 91: 75-84.
- \_\_\_\_\_, A.D.Q. Agnew, S. Mathai, D.L. Swain and F.A. Street-Perrott, (2001). An altitudinal and stable carbon isotope survey of grasses on Mount Kenya, East Africa. *Journal of East African Natural History*. 90: 69-85.
- \_\_\_\_\_, B. Collins, M.L. Fogel. (2001). The elemental analyzer sample carousel: Loading an autosampler made easy. *Rapid Communications in Mass Spectrometry*. 15: 1-3.
- \_\_\_\_\_, and K. Beuning. (2001). Workshop Report: Paleo-Grassland Research (PGR) 2000: a conference on the reconstruction and modelling of past grass dominated ecosystems. *PAGES News*. 9: 16-17.
- \_\_\_\_\_. (2001). contributions In: J. A. Matthews et al. (editor), *The Encyclopedic Dictionary of Environmental Change*. Edward Arnold.
- \_\_\_\_\_, F.A. Street-Perrott, A.D.Q. Agnew. (2000). Late Quaternary fires and grassland palaeoecology of Mt. Kenya, East Africa: Evidence from charred grass cuticles in lake sediments. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 164: 207-230.

\_\_\_\_\_ (2000). Reconstructing past grasslands using grass cuticles: an optimum size (area) for micromorphological investigation. *Swansea Geographer*. 35: 9-17.